





Straight Rib Series









Affordability, strength, style and durability all in one!

You asked for it and Steel Tile delivers. The Summit panel is one of the most versatile and economically priced panels on the market. Designed with appearance and durability in mind the Summit panel has a distinctive rib pattern that makes it one of the stiffest and strongest load bearing ribbed panels in the industry. Manufactured from 29 gauge full hard Galvalume AZ50 steel substrate, it is corrosion resistant and provides hassle-free long term performance. Originally manufactured for agricultural, post-frame roof, wall, interior garage and building liner applications. The Summit is fast becoming a preferred residential and cottage favourite for it's dramatic stylish appearance. Ideal for contractors or do-it-yourselfers, the Summit panel can be installed directly over plywood sheeting or over 1"x 4" horizontal strapping.




Full-Length Panels

- Installs over plywood or use
 1"x 4" horizontal strapping
- Custom-cut full-length sheets
- 40 year colour paint warranty
- · Summit panel 29 gauge steel



43.5" panel provides outstanding coverage and performance

The Muskoka panel incorporates the latest metal forming technology with top quality material and finishes to create a distinctive continuous look that is virtually seamless. Steel Tiles' Muskoka panel is 30% wider than traditional diamond rib panels, translating to faster installation per square foot. Superior spanability combined with 26 gauge G90 Galvanized steel provides long-term building performance, no other panel comes close - *It's simply the best!* Designed to meet the harshest weather and load conditions, Steel Tile metal roofs do not crack, shrink or burn. They shed rain and snow more effectively and are virtually maintenance free. The Muskoka panel is a natural choice for large agricultural and light industrial applications. This panel has a 3/4" high rib at 10 7/8" centres running vertically. For new construction the panel can be installed directly onto 1/2" plywood or over 1"x 4" horizontal strapping.



 Fewer seams and a water-channel system combine for a virtually leak-free roof

up to 30 ft Long

- 40 ft. special order panels available
- · Matching trims and screws
- · Muskoka panel 26 gauge steel



Load Charts

The Summit panel has integrated, high strength ribbing that allows for a higher distributed, uniform load capacities. The following chart indicates the suggested pounds per square foot load capacity for residential or agricultural structures. For further information regarding the Muskoka panel specifications contact Steel Tile Metal Roofing. Always consult your local building codes for exact requirements.

29 Gauge 3 span	18"	21″	24"	27"	30"	33"	36"	39"	42"	45"	48"
Summit Residential	92	79	69	61	55	50	44	34	27	22	18
Farm Building low human occupancy	115	99	86	76	69	63	58	45	36	29	24

Colour Choice and Guarantee

Your choice of 15 standard colours and 3 specialty paint finishes. The advanced DuraFlex technology is formulated with a proprietary durable resin which provides superior resistance to chalking and fading, especially in extreme heat and UV exposure locations. DuraFlex paints' exceptional coating hardness, flex ratio and abrasion resistance has been proven to out-perform other finishes in the harshest of climates. DuraFlex paint provides a new level of Long Term Exterior performance for building product applications with the best warranty in the business.



Steel Tile's renowned roofing systems and superior paint finishes are backed by an industry leading 40-year transferable warranty. Don't be fooled by companies offering life time warranties or guarantees.

Accessories

A complete selection of colour-matched accessories made from 26 gauge steel is available from Steel Tile to accent any roof. These include: ridge caps, valley flashing, gable flashing, wall flashing, eaves trim, chimney and skylight flashing, pipe flashing, closure material, and powder-coated, colour-matching fasteners. Snowloks[®] and snow stops are also available.

Energy Efficient

DuraFlex formulations, with Cool Roof ceramic pigments meet minimum solar reflectance requirements or Energy Star approval criteria.



Your Steel Tile Dealer





3487 Thomas Street, Innisfil, ON Canada L9S 3W4 (HWY. 400 & Innisfil Beach Rd.)

P. 705-436-1723 F. 705-436-6329 **1-800-461-5567**Web: www.steeltile.com Email: tileinfo@steeltile.com